Double
Handed Pac
Cup
Mark English
and Ian Rogers



Why Doublehand the Pac Cup

- Adventure
- Challenge
- Lack of Friends
- Hate Sleeping








Sails for Double Handing

- Reefable jibs
- Poled out jib (survival)
- Out grabber (depower symmetric kites)





Test before hand

Jib lead location outboard.



Test before hand












Outgrabber



Outgrabber line leads from cabintop winch, forward to turning block at vang, aft along underside of boom, through turning block at mainsheet bails and dead ends at floating block. Floating snatch block pulls spinnaker sheet outboard to increase sheeting angle.

Credit: http://honeynav.com/

Outgrabber in use





Watch System

- 3/3 hr (matches up with saildocs)
- 2/2 Hour
- 3 hours in the day, 2 hours at night

	Α	В	Notes: Saildocs Weather Files	
12:00:00 AM			0:00 PDT NDFD	
3:00:00 AM			4:30 PDT GFS	
6:00:00 AM			6:00 PDT NDFD; 8:00 PDT Check in	
9:00:00 AM			10:30 PDT GFS	
12:00:00 PM			12:00 PDT NDFD	
3:00:00 PM			16:30 PDT GFS	
6:00:00 PM			18:00 PDT NDFD	
9:00:00 PM			22:30 PDT GFS	
12:00:00 AM				

Food & Drink

- 90% Freeze Dried Diet
 - Ian did Paleo
- Apples and Fresh Eggs
- Water & Jim Beam
- Caffeine Pros & Cons...







Double-handed Safety

- MOB is exponentially harder shorthanded
- Personal Locator Beacons (PLBs)
- HH VHF & DRC
- Personal AIS
- Practice!









......

Living Down below



The End







Autopilot or No Autopilot

Moore 24 - Mas Energy Consumption Plan 2016 Pac Cup

Description	Hours per day	Amps per hour	Total Amps per day
Instruments Day Time	14	-0.5	-7.0 Amps
Instruments Night Time	10	-0.4	-4.0 Amps
Nav Lights	10	-0.3	-3.0 Amps
Iridium Go & Laptop	1	-1.3	-1.3 Amps
VHF	1	-1	-1.0 Amps
Total Draw			-16.3 Amps
1st Solar Panel - 23W Solbian			7.5 Amps
Peak (10am - 3pm)	5	1.1	5.5 Amps
Non-peak (8am-10am, 3pm-6pm)	5	0.40	2.0 Amps
2nd Solar Panel - 23W Solbian		'	7.5 Amps
Peak (10am - 3pm)	5	1.1	5.5 Amps
Non-peak (8am-10am, 3pm-6pm)	5	0.40	2.0 Amps
Total Charge			15.0 Amps
Total Overage/(Deficit)			-1.3 Amps
Lithium Battery : Percent of usable battery capacity	120 Amps 50%		

46 Days

Total days sustainable with deficit